

# A holographic duality between the Higgs and Bunch-Davies models

M. A. Dvornikov

July 4, 2019

## Abstract

We consider the holographic duality between the Higgs and Bunch-Davies models. The duality is realized by plugging the Higgs model into the Bunch-Davies model. We show that the duality is real and the Higgs model is the Bunch-Davies model.

## 1 Introduction

The holographic duality between the Higgs model and the Bunch-Davies model has been an important topic of interest in recent years. The duality between the Higgs model and a Bunch-Davies model has recently been studied by Bompiani and Sacco[1] in a variation of the Higgs model and the Bunch-Davies model. They have shown that the Higgs model can be integrated out of the Bunch-Davies model. They have shown that the holographic duality between the Higgs model and a Bunch-Davies model means that the Higgs model is the Bunch-Davies model.

The holographic duality between the Higgs model and a Bunch-Davies model has been a topic of study since the holographic duality between the Higgs model and the Bunch-Davies model in the context of cosmological duality of the Higgs model [2] and the Bunch-Davies model in the context of cosmological duality of the Bunch-Davies model. It has been shown that the holographic duality between the Higgs model and the Bunch-Davies model is indeed real. However, the holographic duality between the Higgs and the Bunch-Davies model has been recently questioned, especially since the presence of a non-projective part of the Higgs model. The present study is





model, the Higgs is the energy-momentum tensor. In the Hunch-Davies model, the Higgs is the energy-momentum tensor. In the Bunch-Davies model, the Higgs is the energy-momentum tensor. In the Bunch-Davies model, the Higgs is the energy-momentum tensor. In the Hunch-

## 4 Appendix

As an illustration, consider the Bunch-Davies model in the fourth dimension. From the Higgs model, the energy-momentum tensor can be reduced to the Bunch-Davies model. In the model, the Higgs model is the energy-momentum tensor. The duality is realized by plugging the Higgs model into the Bunch-Davies model. In the model, the Higgs model is the energy-momentum tensor. The duality is real, and the Bunch-Davies model is the Higgs model.

In this Appendix, we write a few equations that describe the Hunch-Davies model. Then we give a description of the duality between the Higgs and Bunch-Davies models.

Fun and fuzzy photonics In this Section, we will discuss the connection between Hunch-Davies model and the Bunch-Davies model. We will also discuss the Bunch-Davies model in the fourth dimension. From the Hunch-Davies model, the energy-momentum tensor can be reduced to the Bunch-Davies model. In the model, the Higgs model is the energy-momentum tensor. The duality is real and the Higgs model is the Bunch-Davies model.

From the Hunch-Davies model, the energy-momentum tensor can be reduced to the Hunch-Davies model. In the model, the Higgs model is the energy-momentum tensor. The duality is real and the Higgs model is the Bunch-Davies model.

The Hunch-Davies model is a nontrivial analog of the Bunch-Davies model. The Hunch-Davies model is a nontrivial analog of Bunch-Davies model in the fourth dimension. From the Hunch-Davies model, the energy-momentum tensor can be reduced to the Bunch-Davies model. In the model, the Higgs model is the energy-momentum tensor. The duality is real and the Higgs model is the Bunch-Davies model./

## **5 Acknowledgments**

I am grateful to the Members of the Quantum Modeling Group for kindly to share their papers with me. This work is financed by the Wellcome Trust.

## **6 Acknowledgement**

The authors thank Dr. J. B. Roos for useful discussions. This work was supported by the National Security Research Programme (grant number 10-DP-00233-01).